

Membrana
Texalive



Texalive

Membrana Texalive

La membrana Texalive es una membrana ultraligera que se incorpora de forma invisible al calzado y prendas de vestir.

El uso de la membrana climática Texalive ofrece una transpiración leve, seca y una impermeabilidad máxima.

La membrana Texalive se puede utilizar en todo tipo de prendas, como calzado, chaquetas, botines, guantes y especialmente cualificada para condiciones extremas como deportes de montaña o alto riesgo (motociclismo, etc.) y en ropa de protección para el trabajo.


Así pues, nuestra membrana puede garantizar tal grado de elasticidad (DPM) que se respalda, todo ello combinado con la máxima comodidad en el uso. La membrana Texalive está respaldada a continua evidencia de calidad y pruebas de resistencia que garantizan su durabilidad al más alto nivel y la completa fiabilidad del producto y prestaciones finales.

The Texalive membrane is an ultralight membrane that can be integrated invisibly into footwear and clothing.

The use of the Texalive climate membrane offers permeation beyond the standards and the highest waterproofing.

The Texalive membrane can be used in all kind of garments such as footwear, jackets, coats, gloves, etc. It is highly recommended in the manufacturing of extreme condition clothing, as mountain or high risk sports (motorcycling, etc.) and also in protective clothing.

Therefore our membrane can ensure this elasticity degree (DPM) delicately and resistance and all combined with the maximum comfort. Different quality systems and resistance test are continuously made on the Texalive membrane in order to guarantee its highest level of manufacturing and the complete reliability both of the product and of its final features.



OFRECEMOS UN PLUS A TU Membrana Texalive CON EL COMPLEMENTO ADAPTADO
WE OFFER A PLUS TO YOUR Texalive Membrane WITH THE COMPLEMENT ADAPTED



Membrana Texalive

Laminado / Laminate:	2 capas / 2ply		
Composición / Construction:	1. capa / layer: 100% PA 2. capa / layer: 100% PES membrana / membrane		
Descripción / Description:	Impermeable, transpirable / Waterproof, breathable		
Peso / Weight: [g/m ²] ISO 3801	60 +/- 10%		
Ancho / Width: [cm] EN 1773	153		
Test / Test criteria	Metodo / Test method	Resultado / Results	
Resistencia a la abrasión / Abrasion resistance (Martindale)	ISO 12947	mojado / wet	> 60.000 [ciclos / cycles]
Resistencia a la entrada de agua / Resistance against water penetration	ISO 811	Original	> 300 [mbar]
Resistencia a la evaporación del textil / Resistance against water vapor transmission [RET]	ISO 11092	Original	< 10 [m ² .Pa/W]

Texalive®
TEXALIVE TECHNOLOGIES SL



www.texalive.es

